

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,911,151 B1
DATED : June 28, 2005
INVENTOR(S) : Müller-Kuhrt et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7, line 8, "~~liquid chromatographic separating~~" should read "liquid chromatographic lines separating."

MAILING ADDRESS OF SENDER: Bruce S. Londa
Norris McLaughlin & Marcus, P.A.
875 Third Avenue, 18th Floor
New York, NY 10022
(212) 808-0700

PATENT NO. 6,911,151 B1

No. of additional copies



SEP 07 2005



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Date Mailed : September 15, 2005

Patent No. : 6,911,151 B1

Inventor : Muller-Kuhrt et al

Patent Issued : June 28, 2005

Title : DEVICE AND METHOD FOR THE PARALLEL SEPARATION OF
SUBSTANCES BY LIQUID CHROMATOGRAPHY

Docket No. : 101215-63

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Inspection of the file of the application for the patent reveals that column 7 line 8 the specification, is/are printed in accordance with the record in the Patent and Trademark Office, as passed to issue by the examiner, There being no fault on the part of the Patent and Trademark Office, it has no authority to issue a certificate of correction under the provision of 1.322.

In view of the foregoing, your request for certificate of correction is hereby denied. However, further consideration will be given these matters, upon receipt of a request for certificate of correction under the provisions of 1.323, accompanied by the appropriate fee which is presently \$100.

Future correspondence concerning this matter should be filed and directed to Decisions & Certificates of Correction Branch.

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Attn: Certificates of Correction Branch

David Irvine
Cecilia Newman, Supervisor
Decisions & Certificates of Correction Branch
703/308-9590 or 703/305-4362

Bruce S. Londa
Norris McLaughlin & Marcus PA
875 Third Avenue, 18th Floor
New York, NY 10022

CBN/ di